

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

PHR = PHR 7

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|-------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 2 | 2 | 4 |
| | | % within Sex | .5% | 2.5% | .9% |
| | 13-19 | Count | 9 | 7 | 16 |
| | | % within Sex | 2.4% | 8.9% | 3.5% |
| | 20-24 | Count | 31 | 8 | 39 |
| | | % within Sex | 8.3% | 10.1% | 8.6% |
| | 25-29 | Count | 55 | 10 | 65 |
| | | % within Sex | 14.7% | 12.7% | 14.4% |
| | 30-39 | Count | 160 | 30 | 190 |
| | | % within Sex | 42.9% | 38.0% | 42.0% |
| | 40-49 | Count | 95 | 14 | 109 |
| | | % within Sex | 25.5% | 17.7% | 24.1% |
| | 50-59 | Count | 17 | 5 | 22 |
| | | % within Sex | 4.6% | 6.3% | 4.9% |
| | 60-69 | Count | 4 | 3 | 7 |
| | | % within Sex | 1.1% | 3.8% | 1.5% |
| | Total | | 373 | 79 | 452 |
| | | | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|--------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 208 | 17 | 225 |
| | | % within Sex | 55.8% | 21.5% | 49.8% |
| | African American | Count | 88 | 48 | 136 |
| | | % within Sex | 23.6% | 60.8% | 30.1% |
| | Hispanic | Count | 76 | 14 | 90 |
| | | % within Sex | 20.4% | 17.7% | 19.9% |
| | Am Indian-Alaskan | Count | 1 | | 1 |
| | | % within Sex | .3% | | .2% |
| | Total | | 373 | 79 | 452 |
| | | | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 232 | | 232 |
| | | % within Sex | 62.2% | | 51.3% |
| | IDU | Count | 22 | 14 | 36 |
| | | % within Sex | 5.9% | 17.7% | 8.0% |
| | M-M & IDU | Count | 33 | | 33 |
| | | % within Sex | 8.8% | | 7.3% |
| | Heterosexual Contact | Count | 15 | 34 | 49 |
| | | % within Sex | 4.0% | 43.0% | 10.8% |
| | Transfusion | Count | 3 | 1 | 4 |
| | | % within Sex | .8% | 1.3% | .9% |
| | Not Classified | Count | 66 | 28 | 94 |
| | | % within Sex | 17.7% | 35.4% | 20.8% |
| | Ped Parent at Risk | Count | 1 | 1 | 2 |
| | | % within Sex | .3% | 1.3% | .4% |
| | Ped Other-Undet | Count | 1 | 1 | 2 |
| | | % within Sex | .3% | 1.3% | .4% |
| Total | Count | 373 | 79 | 452 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. PHR = PHR 7

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|--------------------|--------------------|-----------|----------------------|-------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | 1 | 224 | 225 |
| | | % within Adult-Ped | 25.0% | 50.0% | 49.8% |
| | African American | Count | 2 | 134 | 136 |
| | | % within Adult-Ped | 50.0% | 29.9% | 30.1% |
| | Hispanic | Count | 1 | 89 | 90 |
| | | % within Adult-Ped | 25.0% | 19.9% | 19.9% |
| | Am Indian-Alaskan | Count | | 1 | 1 |
| | | % within Adult-Ped | | .2% | .2% |
| Total | Count | 4 | 448 | 452 | |
| | % within Adult-Ped | 100.0% | 100.0% | 100.0% | |

a. PHR = PHR 7

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 2 | 371 | 373 |
| | | % within Adult-Ped | 50.0% | 82.8% | 82.5% |
| | Female | Count | 2 | 77 | 79 |
| | | % within Adult-Ped | 50.0% | 17.2% | 17.5% |
| Total | | Count | 4 | 448 | 452 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

PHR = PHR 7

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|-------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | | 1 | 1 |
| | | % within Sex | | 1.5% | .3% |
| | 2-4 | Count | 1 | | 1 |
| | | % within Sex | .4% | | .3% |
| | 5-12 | Count | | 1 | 1 |
| | | % within Sex | | 1.5% | .3% |
| | 13-19 | Count | 5 | 8 | 13 |
| | | % within Sex | 1.8% | 11.8% | 3.7% |
| | 20-24 | Count | 43 | 15 | 58 |
| | | % within Sex | 15.2% | 22.1% | 16.6% |
| | 25-29 | Count | 44 | 11 | 55 |
| | | % within Sex | 15.6% | 16.2% | 15.7% |
| | 30-39 | Count | 129 | 18 | 147 |
| | | % within Sex | 45.7% | 26.5% | 42.0% |
| | 40-49 | Count | 41 | 7 | 48 |
| | | % within Sex | 14.5% | 10.3% | 13.7% |
| | 50-59 | Count | 15 | 4 | 19 |
| | | % within Sex | 5.3% | 5.9% | 5.4% |
| | 60-69 | Count | 3 | 3 | 6 |
| | | % within Sex | 1.1% | 4.4% | 1.7% |
| | 70+ | Count | 1 | | 1 |
| | | % within Sex | .4% | | .3% |
| Total | | Count | 282 | 68 | 350 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 157 | 20 | 177 |
| | | % within Sex | 55.7% | 29.4% | 50.6% |
| | African American | Count | 61 | 29 | 90 |
| | | % within Sex | 21.6% | 42.6% | 25.7% |
| | Hispanic | Count | 53 | 19 | 72 |
| | | % within Sex | 18.8% | 27.9% | 20.6% |
| | Asian-Pacific Islander | Count | 1 | | 1 |
| | | % within Sex | .4% | | .3% |
| | Am Indian-Alaskan | Count | 2 | | 2 |
| | | % within Sex | .7% | | .6% |
| | Not Specified | Count | 8 | | 8 |
| | | % within Sex | 2.8% | | 2.3% |
| | Total | | 282 | 68 | 350 |
| | | | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 168 | | 168 |
| | | % within Sex | 59.6% | | 48.0% |
| | IDU | Count | 20 | 8 | 28 |
| | | % within Sex | 7.1% | 11.8% | 8.0% |
| | M-M & IDU | Count | 20 | | 20 |
| | | % within Sex | 7.1% | | 5.7% |
| | Heterosexual Contact | Count | 9 | 31 | 40 |
| | | % within Sex | 3.2% | 45.6% | 11.4% |
| | Transfusion | Count | 1 | 2 | 3 |
| | | % within Sex | .4% | 2.9% | .9% |
| | Not Classified | Count | 63 | 25 | 88 |
| | | % within Sex | 22.3% | 36.8% | 25.1% |
| | Ped Parent at Risk | Count | 1 | 1 | 2 |
| | | % within Sex | .4% | 1.5% | .6% |
| | Ped Other-Undet | Count | | 1 | 1 |
| | | % within Sex | | 1.5% | .3% |
| Total | | Count | 282 | 68 | 350 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | 2 | 175 | 177 |
| | | % within Adult-Ped | 66.7% | 50.4% | 50.6% |
| | African American | Count | 1 | 89 | 90 |
| | | % within Adult-Ped | 33.3% | 25.6% | 25.7% |
| | Hispanic | Count | | 72 | 72 |
| | | % within Adult-Ped | | 20.7% | 20.6% |
| | Asian-Pacific Islander | Count | | 1 | 1 |
| | | % within Adult-Ped | | .3% | .3% |
| | Am Indian-Alaskan | Count | | 2 | 2 |
| | | % within Adult-Ped | | .6% | .6% |
| | Not Specified | Count | | 8 | 8 |
| | | % within Adult-Ped | | 2.3% | 2.3% |
| Total | | Count | 3 | 347 | 350 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 1 | 281 | 282 |
| | | % within Adult-Ped | 33.3% | 81.0% | 80.6% |
| | Female | Count | 2 | 66 | 68 |
| | | % within Adult-Ped | 66.7% | 19.0% | 19.4% |
| Total | | Count | 3 | 347 | 350 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

PHR = PHR 7

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 8 | 6 | 14 |
| | | % within Sex | .8% | 2.0% | 1.1% |
| | 1 (12-23 mo) | Count | | 4 | 4 |
| | | % within Sex | | 1.3% | .3% |
| | 2-4 | Count | 4 | | 4 |
| | | % within Sex | .4% | | .3% |
| | 5-12 | Count | 2 | 1 | 3 |
| | | % within Sex | .2% | .3% | .2% |
| | 13-19 | Count | 19 | 33 | 52 |
| | | % within Sex | 1.9% | 10.9% | 4.0% |
| | 20-24 | Count | 98 | 48 | 146 |
| | | % within Sex | 9.7% | 15.8% | 11.1% |
| | 25-29 | Count | 164 | 52 | 216 |
| | | % within Sex | 16.3% | 17.1% | 16.5% |
| | 30-39 | Count | 438 | 96 | 534 |
| | | % within Sex | 43.5% | 31.6% | 40.8% |
| | 40-49 | Count | 209 | 43 | 252 |
| | | % within Sex | 20.8% | 14.1% | 19.2% |
| | 50-59 | Count | 53 | 14 | 67 |
| | | % within Sex | 5.3% | 4.6% | 5.1% |
| | 60-69 | Count | 10 | 7 | 17 |
| | | % within Sex | 1.0% | 2.3% | 1.3% |
| | 70+ | Count | 1 | | 1 |
| | | % within Sex | .1% | | .1% |
| Total | | Count | 1006 | 304 | 1310 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 527 | 77 | 604 |
| | | % within Sex | 52.4% | 25.3% | 46.1% |
| | African American | Count | 267 | 174 | 441 |
| | | % within Sex | 26.5% | 57.2% | 33.7% |
| | Hispanic | Count | 193 | 52 | 245 |
| | | % within Sex | 19.2% | 17.1% | 18.7% |
| | Asian-Pacific Islander | Count | 4 | 1 | 5 |
| | | % within Sex | .4% | .3% | .4% |
| | Am Indian-Alaskan | Count | 5 | | 5 |
| | | % within Sex | .5% | | .4% |
| | Not Specified | Count | 10 | | 10 |
| | | % within Sex | 1.0% | | .8% |
| | Total | | 1006 | 304 | 1310 |
| | | | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 570 | | 570 |
| | | % within Sex | 56.7% | | 43.5% |
| | IDU | Count | 70 | 55 | 125 |
| | | % within Sex | 7.0% | 18.1% | 9.5% |
| | M-M & IDU | Count | 88 | | 88 |
| | | % within Sex | 8.7% | | 6.7% |
| | Hemophiliac | Count | 1 | 1 | 2 |
| | | % within Sex | .1% | .3% | .2% |
| | Heterosexual Contact | Count | 44 | 124 | 168 |
| | | % within Sex | 4.4% | 40.8% | 12.8% |
| | Transfusion | Count | 4 | 6 | 10 |
| | | % within Sex | .4% | 2.0% | .8% |
| | Not Classified | Count | 215 | 107 | 322 |
| | | % within Sex | 21.4% | 35.2% | 24.6% |
| | Ped Parent at Risk | Count | 11 | 9 | 20 |
| | | % within Sex | 1.1% | 3.0% | 1.5% |
| | Ped Other-Undet | Count | 3 | 2 | 5 |
| | | % within Sex | .3% | .7% | .4% |
| | Total | | 1006 | 304 | 1310 |
| | | | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|-------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | 9 | 595 | 604 |
| | | % within Adult-Ped | 36.0% | 46.3% | 46.1% |
| | African American | Count | 12 | 429 | 441 |
| | | % within Adult-Ped | 48.0% | 33.4% | 33.7% |
| | Hispanic | Count | 4 | 241 | 245 |
| | | % within Adult-Ped | 16.0% | 18.8% | 18.7% |
| | Asian-Pacific Islander | Count | | 5 | 5 |
| | | % within Adult-Ped | | .4% | .4% |
| | Am Indian-Alaskan | Count | | 5 | 5 |
| | | % within Adult-Ped | | .4% | .4% |
| | Not Specified | Count | | 10 | 10 |
| | | % within Adult-Ped | | .8% | .8% |
| Total | Count | 25 | 1285 | 1310 | |
| | % within Adult-Ped | 100.0% | 100.0% | 100.0% | |

a. PHR = PHR 7

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 14 | 992 | 1006 |
| | | % within Adult-Ped | 56.0% | 77.2% | 76.8% |
| | Female | Count | 11 | 293 | 304 |
| | | % within Adult-Ped | 44.0% | 22.8% | 23.2% |
| Total | | Count | 25 | 1285 | 1310 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

PHR = PHR 7

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 8 | 6 | 14 |
| | | % within Sex | .8% | 2.0% | 1.1% |
| | 1 (12-23 mo) | Count | | 4 | 4 |
| | | % within Sex | | 1.3% | .3% |
| | 2-4 | Count | 4 | | 4 |
| | | % within Sex | .4% | | .3% |
| | 5-12 | Count | 2 | 1 | 3 |
| | | % within Sex | .2% | .3% | .2% |
| | 13-19 | Count | 19 | 33 | 52 |
| | | % within Sex | 1.9% | 11.0% | 4.0% |
| | 20-24 | Count | 98 | 48 | 146 |
| | | % within Sex | 9.9% | 15.9% | 11.3% |
| | 25-29 | Count | 164 | 52 | 216 |
| | | % within Sex | 16.5% | 17.3% | 16.7% |
| | 30-39 | Count | 436 | 94 | 530 |
| | | % within Sex | 44.0% | 31.2% | 41.0% |
| | 40-49 | Count | 200 | 42 | 242 |
| | | % within Sex | 20.2% | 14.0% | 18.7% |
| | 50-59 | Count | 50 | 14 | 64 |
| | | % within Sex | 5.0% | 4.7% | 5.0% |
| | 60-69 | Count | 9 | 7 | 16 |
| | | % within Sex | .9% | 2.3% | 1.2% |
| | 70+ | Count | 1 | | 1 |
| | | % within Sex | .1% | | .1% |
| Total | | Count | 991 | 301 | 1292 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

| | | | Sex | | Total | |
|-------------|--------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | | |
| Current Age | 0 (0-11 mo) | Count | 1 | 2 | 3 | |
| | | % within Sex | .1% | .7% | .2% | |
| | 1 (12-23 mo) | Count | 1 | | 1 | |
| | | % within Sex | .1% | | .1% | |
| | 2-4 | Count | 1 | 2 | 3 | |
| | | % within Sex | .1% | .7% | .2% | |
| | 5-12 | Count | 7 | 7 | 14 | |
| | | % within Sex | .7% | 2.3% | 1.1% | |
| | 13-19 | Count | 8 | 10 | 18 | |
| | | % within Sex | .8% | 3.3% | 1.4% | |
| | 20-24 | Count | 61 | 36 | 97 | |
| | | % within Sex | 6.2% | 12.0% | 7.5% | |
| | 25-29 | Count | 99 | 52 | 151 | |
| | | % within Sex | 10.0% | 17.3% | 11.7% | |
| | 30-39 | Count | 427 | 99 | 526 | |
| | | % within Sex | 43.1% | 32.9% | 40.7% | |
| | 40-49 | Count | 294 | 66 | 360 | |
| | | % within Sex | 29.7% | 21.9% | 27.9% | |
| | 50-59 | Count | 78 | 19 | 97 | |
| | | % within Sex | 7.9% | 6.3% | 7.5% | |
| | 60-69 | Count | 12 | 8 | 20 | |
| | | % within Sex | 1.2% | 2.7% | 1.5% | |
| | 70+ | Count | 2 | | 2 | |
| | | % within Sex | .2% | | .2% | |
| | Total | | Count | 991 | 301 | 1292 |
| | | | % within Sex | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 524 | 76 | 600 |
| | | % within Sex | 52.9% | 25.2% | 46.4% |
| | African American | Count | 258 | 172 | 430 |
| | | % within Sex | 26.0% | 57.1% | 33.3% |
| | Hispanic | Count | 190 | 52 | 242 |
| | | % within Sex | 19.2% | 17.3% | 18.7% |
| | Asian-Pacific Islander | Count | 4 | 1 | 5 |
| | | % within Sex | .4% | .3% | .4% |
| | Am Indian-Alaskan | Count | 5 | | 5 |
| | | % within Sex | .5% | | .4% |
| | Not Specified | Count | 10 | | 10 |
| | | % within Sex | 1.0% | | .8% |
| | Total | | 991 | 301 | 1292 |
| | | | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 565 | | 565 |
| | | % within Sex | 57.0% | | 43.7% |
| | IDU | Count | 67 | 54 | 121 |
| | | % within Sex | 6.8% | 17.9% | 9.4% |
| | M-M & IDU | Count | 88 | | 88 |
| | | % within Sex | 8.9% | | 6.8% |
| | Hemophiliac | Count | 1 | 1 | 2 |
| | | % within Sex | .1% | .3% | .2% |
| | Heterosexual Contact | Count | 44 | 123 | 167 |
| | | % within Sex | 4.4% | 40.9% | 12.9% |
| | Transfusion | Count | 4 | 6 | 10 |
| | | % within Sex | .4% | 2.0% | .8% |
| | Not Classified | Count | 208 | 106 | 314 |
| | | % within Sex | 21.0% | 35.2% | 24.3% |
| | Ped Parent at Risk | Count | 11 | 9 | 20 |
| | | % within Sex | 1.1% | 3.0% | 1.5% |
| | Ped Other-Undet | Count | 3 | 2 | 5 |
| | | % within Sex | .3% | .7% | .4% |
| | Total | | 991 | 301 | 1292 |
| | | | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|-------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | 9 | 591 | 600 |
| | | % within Adult-Ped | 36.0% | 46.6% | 46.4% |
| | African American | Count | 12 | 418 | 430 |
| | | % within Adult-Ped | 48.0% | 33.0% | 33.3% |
| | Hispanic | Count | 4 | 238 | 242 |
| | | % within Adult-Ped | 16.0% | 18.8% | 18.7% |
| | Asian-Pacific Islander | Count | | 5 | 5 |
| | | % within Adult-Ped | | .4% | .4% |
| | Am Indian-Alaskan | Count | | 5 | 5 |
| | | % within Adult-Ped | | .4% | .4% |
| | Not Specified | Count | | 10 | 10 |
| | | % within Adult-Ped | | .8% | .8% |
| Total | Count | 25 | 1267 | 1292 | |
| | % within Adult-Ped | 100.0% | 100.0% | 100.0% | |

a. PHR = PHR 7

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 14 | 977 | 991 |
| | | % within Adult-Ped | 56.0% | 77.1% | 76.7% |
| | Female | Count | 11 | 290 | 301 |
| | | % within Adult-Ped | 44.0% | 22.9% | 23.3% |
| Total | | Count | 25 | 1267 | 1292 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

PHR = PHR 7

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|---------------------|--------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | | 1 | 1 |
| | | % within Sex | | 1.7% | .4% |
| | 2-4 | Count | 1 | | 1 |
| | | % within Sex | .5% | | .4% |
| | 13-19 | Count | 2 | 1 | 3 |
| | | % within Sex | 1.0% | 1.7% | 1.1% |
| | 20-24 | Count | 5 | 3 | 8 |
| | | % within Sex | 2.4% | 5.1% | 3.0% |
| | 25-29 | Count | 31 | 8 | 39 |
| | | % within Sex | 15.1% | 13.6% | 14.8% |
| | 30-39 | Count | 79 | 28 | 107 |
| | | % within Sex | 38.5% | 47.5% | 40.5% |
| | 40-49 | Count | 61 | 13 | 74 |
| | | % within Sex | 29.8% | 22.0% | 28.0% |
| | 50-59 | Count | 21 | 4 | 25 |
| | | % within Sex | 10.2% | 6.8% | 9.5% |
| | 60-69 | Count | 4 | 1 | 5 |
| | | % within Sex | 2.0% | 1.7% | 1.9% |
| 70+ | Count | 1 | | 1 | |
| | % within Sex | .5% | | .4% | |
| Total | Count | 205 | 59 | 264 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. PHR = PHR 7

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|--------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 99 | 14 | 113 |
| | | % within Sex | 48.3% | 23.7% | 42.8% |
| | African American | Count | 60 | 33 | 93 |
| | | % within Sex | 29.3% | 55.9% | 35.2% |
| | Hispanic | Count | 45 | 12 | 57 |
| | | % within Sex | 22.0% | 20.3% | 21.6% |
| | Am Indian-Alaskan | Count | 1 | | 1 |
| | | % within Sex | .5% | | .4% |
| Total | Count | 205 | 59 | 264 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. PHR = PHR 7

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 110 | | 110 |
| | | % within Sex | 53.7% | | 41.7% |
| | IDU | Count | 24 | 14 | 38 |
| | | % within Sex | 11.7% | 23.7% | 14.4% |
| | M-M & IDU | Count | 13 | | 13 |
| | | % within Sex | 6.3% | | 4.9% |
| | Heterosexual Contact | Count | 13 | 23 | 36 |
| | | % within Sex | 6.3% | 39.0% | 13.6% |
| | Transfusion | Count | 1 | 5 | 6 |
| | | % within Sex | .5% | 8.5% | 2.3% |
| | Not Classified | Count | 43 | 16 | 59 |
| | | % within Sex | 21.0% | 27.1% | 22.3% |
| | Ped Parent at Risk | Count | 1 | 1 | 2 |
| | | % within Sex | .5% | 1.7% | .8% |
| Total | | Count | 205 | 59 | 264 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|--------------------|--------------------|-----------|------------------|--------|
| | | | Pediatric | Adult/Adolescent | |
| Race-Ethnicity | White Non-Hispanic | Count | | 113 | 113 |
| | | % within Adult-Ped | | 43.1% | 42.8% |
| | African American | Count | 1 | 92 | 93 |
| | | % within Adult-Ped | 50.0% | 35.1% | 35.2% |
| | Hispanic | Count | 1 | 56 | 57 |
| | | % within Adult-Ped | 50.0% | 21.4% | 21.6% |
| | Am Indian-Alaskan | Count | | 1 | 1 |
| | | % within Adult-Ped | | .4% | .4% |
| | Total | | 2 | 262 | 264 |
| | | | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 1 | 204 | 205 |
| | | % within Adult-Ped | 50.0% | 77.9% | 77.7% |
| | Female | Count | 1 | 58 | 59 |
| | | % within Adult-Ped | 50.0% | 22.1% | 22.3% |
| Total | | Count | 2 | 262 | 264 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

PHR = PHR 7

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|---------------------|-------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 1 | | 1 |
| | | % within Sex | .4% | | .3% |
| | 13-19 | Count | 1 | 1 | 2 |
| | | % within Sex | .4% | 1.7% | .7% |
| | 20-24 | Count | 7 | 5 | 12 |
| | | % within Sex | 2.9% | 8.5% | 4.0% |
| | 25-29 | Count | 18 | 3 | 21 |
| | | % within Sex | 7.4% | 5.1% | 7.0% |
| | 30-39 | Count | 104 | 27 | 131 |
| | | % within Sex | 42.8% | 45.8% | 43.4% |
| | 40-49 | Count | 80 | 16 | 96 |
| | | % within Sex | 32.9% | 27.1% | 31.8% |
| | 50-59 | Count | 22 | 5 | 27 |
| | | % within Sex | 9.1% | 8.5% | 8.9% |
| | 60-69 | Count | 9 | 1 | 10 |
| | | % within Sex | 3.7% | 1.7% | 3.3% |
| | 70+ | Count | 1 | 1 | 2 |
| | | % within Sex | .4% | 1.7% | .7% |
| Total | | Count | 243 | 59 | 302 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 115 | 19 | 134 |
| | | % within Sex | 47.3% | 32.2% | 44.4% |
| | African American | Count | 62 | 30 | 92 |
| | | % within Sex | 25.5% | 50.8% | 30.5% |
| | Hispanic | Count | 62 | 9 | 71 |
| | | % within Sex | 25.5% | 15.3% | 23.5% |
| | Asian-Pacific Islander | Count | 2 | 1 | 3 |
| | | % within Sex | .8% | 1.7% | 1.0% |
| | Not Specified | Count | 2 | | 2 |
| | | % within Sex | .8% | | .7% |
| Total | Count | 243 | 59 | 302 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. PHR = PHR 7

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 122 | | 122 |
| | | % within Sex | 50.2% | | 40.4% |
| | IDU | Count | 26 | 16 | 42 |
| | | % within Sex | 10.7% | 27.1% | 13.9% |
| | M-M & IDU | Count | 19 | | 19 |
| | | % within Sex | 7.8% | | 6.3% |
| | Hemophiliac | Count | 1 | | 1 |
| | | % within Sex | .4% | | .3% |
| | Heterosexual Contact | Count | 8 | 21 | 29 |
| | | % within Sex | 3.3% | 35.6% | 9.6% |
| | Transfusion | Count | 1 | 1 | 2 |
| | | % within Sex | .4% | 1.7% | .7% |
| | Not Classified | Count | 65 | 21 | 86 |
| | | % within Sex | 26.7% | 35.6% | 28.5% |
| | Ped Parent at Risk | Count | 1 | | 1 |
| | | % within Sex | .4% | | .3% |
| Total | | Count | 243 | 59 | 302 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | | 134 | 134 |
| | | % within Adult-Ped | | 44.5% | 44.4% |
| | African American | Count | 1 | 91 | 92 |
| | | % within Adult-Ped | 100.0% | 30.2% | 30.5% |
| | Hispanic | Count | | 71 | 71 |
| | | % within Adult-Ped | | 23.6% | 23.5% |
| | Asian-Pacific Islander | Count | | 3 | 3 |
| | | % within Adult-Ped | | 1.0% | 1.0% |
| | Not Specified | Count | | 2 | 2 |
| | | % within Adult-Ped | | .7% | .7% |
| Total | | Count | 1 | 301 | 302 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 1 | 242 | 243 |
| | | % within Adult-Ped | 100.0% | 80.4% | 80.5% |
| | Female | Count | | 59 | 59 |
| | | % within Adult-Ped | | 19.6% | 19.5% |
| Total | | Count | 1 | 301 | 302 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

PHR = PHR 7

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 10 | 12 | 22 |
| | | % within Sex | .2% | 1.5% | .4% |
| | 1 (12-23 mo) | Count | 1 | 4 | 5 |
| | | % within Sex | .0% | .5% | .1% |
| | 2-4 | Count | 4 | 4 | 8 |
| | | % within Sex | .1% | .5% | .1% |
| | 5-12 | Count | | 4 | 4 |
| | | % within Sex | | .5% | .1% |
| | 13-19 | Count | 17 | 22 | 39 |
| | | % within Sex | .4% | 2.8% | .7% |
| | 20-24 | Count | 200 | 66 | 266 |
| | | % within Sex | 4.3% | 8.3% | 4.9% |
| | 25-29 | Count | 743 | 136 | 879 |
| | | % within Sex | 16.0% | 17.0% | 16.2% |
| | 30-39 | Count | 2219 | 332 | 2551 |
| | | % within Sex | 47.9% | 41.6% | 47.0% |
| | 40-49 | Count | 1085 | 148 | 1233 |
| | | % within Sex | 23.4% | 18.5% | 22.7% |
| | 50-59 | Count | 258 | 53 | 311 |
| | | % within Sex | 5.6% | 6.6% | 5.7% |
| | 60-69 | Count | 78 | 12 | 90 |
| | | % within Sex | 1.7% | 1.5% | 1.7% |
| | 70+ | Count | 16 | 6 | 22 |
| | | % within Sex | .3% | .8% | .4% |
| Total | | Count | 4631 | 799 | 5430 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 2651 | 250 | 2901 |
| | | % within Sex | 57.2% | 31.3% | 53.4% |
| | African American | Count | 1133 | 435 | 1568 |
| | | % within Sex | 24.5% | 54.4% | 28.9% |
| | Hispanic | Count | 824 | 110 | 934 |
| | | % within Sex | 17.8% | 13.8% | 17.2% |
| | Asian-Pacific Islander | Count | 11 | 4 | 15 |
| | | % within Sex | .2% | .5% | .3% |
| | Am Indian-Alaskan | Count | 9 | | 9 |
| | | % within Sex | .2% | | .2% |
| | Not Specified | Count | 3 | | 3 |
| | | % within Sex | .1% | | .1% |
| | Total | | 4631 | 799 | 5430 |
| | | | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 2798 | | 2798 |
| | | % within Sex | 60.4% | | 51.5% |
| | IDU | Count | 672 | 290 | 962 |
| | | % within Sex | 14.5% | 36.3% | 17.7% |
| | M-M & IDU | Count | 463 | | 463 |
| | | % within Sex | 10.0% | | 8.5% |
| | Hemophiliac | Count | 16 | | 16 |
| | | % within Sex | .3% | | .3% |
| | Heterosexual Contact | Count | 151 | 288 | 439 |
| | | % within Sex | 3.3% | 36.0% | 8.1% |
| | Transfusion | Count | 43 | 33 | 76 |
| | | % within Sex | .9% | 4.1% | 1.4% |
| | Not Classified | Count | 471 | 162 | 633 |
| | | % within Sex | 10.2% | 20.3% | 11.7% |
| | Ped Hemophiliac | Count | 1 | | 1 |
| | | % within Sex | .0% | | .0% |
| | Ped Parent at Risk | Count | 15 | 24 | 39 |
| | | % within Sex | .3% | 3.0% | .7% |
| | Ped Other-Undet | Count | 1 | 2 | 3 |
| | | % within Sex | .0% | .3% | .1% |
| Total | Count | 4631 | 799 | 5430 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. PHR = PHR 7

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | 9 | 2892 | 2901 |
| | | % within Adult-Ped | 23.1% | 53.6% | 53.4% |
| | African American | Count | 23 | 1545 | 1568 |
| | | % within Adult-Ped | 59.0% | 28.7% | 28.9% |
| | Hispanic | Count | 7 | 927 | 934 |
| | | % within Adult-Ped | 17.9% | 17.2% | 17.2% |
| | Asian-Pacific Islander | Count | | 15 | 15 |
| | | % within Adult-Ped | | .3% | .3% |
| | Am Indian-Alaskan | Count | | 9 | 9 |
| | | % within Adult-Ped | | .2% | .2% |
| | Not Specified | Count | | 3 | 3 |
| | | % within Adult-Ped | | .1% | .1% |
| | Total | Count | 39 | 5391 | 5430 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 15 | 4616 | 4631 |
| | | % within Adult-Ped | 38.5% | 85.6% | 85.3% |
| | Female | Count | 24 | 775 | 799 |
| | | % within Adult-Ped | 61.5% | 14.4% | 14.7% |
| Total | | Count | 39 | 5391 | 5430 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

PHR = PHR 7

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 3 | 4 | 7 |
| | | % within Sex | .2% | .9% | .3% |
| | 1 (12-23 mo) | Count | | 1 | 1 |
| | | % within Sex | | .2% | .0% |
| | 2-4 | Count | 3 | 2 | 5 |
| | | % within Sex | .2% | .4% | .2% |
| | 5-12 | Count | | 3 | 3 |
| | | % within Sex | | .7% | .1% |
| | 13-19 | Count | 12 | 12 | 24 |
| | | % within Sex | .6% | 2.6% | 1.0% |
| | 20-24 | Count | 91 | 46 | 137 |
| | | % within Sex | 4.6% | 10.0% | 5.6% |
| | 25-29 | Count | 301 | 76 | 377 |
| | | % within Sex | 15.2% | 16.5% | 15.5% |
| | 30-39 | Count | 961 | 200 | 1161 |
| | | % within Sex | 48.6% | 43.4% | 47.6% |
| | 40-49 | Count | 485 | 85 | 570 |
| | | % within Sex | 24.5% | 18.4% | 23.4% |
| | 50-59 | Count | 98 | 28 | 126 |
| | | % within Sex | 5.0% | 6.1% | 5.2% |
| | 60-69 | Count | 21 | 3 | 24 |
| | | % within Sex | 1.1% | .7% | 1.0% |
| | 70+ | Count | 3 | 1 | 4 |
| | | % within Sex | .2% | .2% | .2% |
| Total | | Count | 1978 | 461 | 2439 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

| | | | Sex | | Total |
|-------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Current Age | 1 (12-23 mo) | Count | | 1 | 1 |
| | | % within Sex | | .2% | .0% |
| | 5-12 | Count | 6 | 5 | 11 |
| | | % within Sex | .3% | 1.1% | .5% |
| | 13-19 | Count | 2 | 5 | 7 |
| | | % within Sex | .1% | 1.1% | .3% |
| | 20-24 | Count | 13 | 14 | 27 |
| | | % within Sex | .7% | 3.0% | 1.1% |
| | 25-29 | Count | 83 | 36 | 119 |
| | | % within Sex | 4.2% | 7.8% | 4.9% |
| | 30-39 | Count | 675 | 173 | 848 |
| | | % within Sex | 34.1% | 37.5% | 34.8% |
| | 40-49 | Count | 867 | 159 | 1026 |
| | | % within Sex | 43.8% | 34.5% | 42.1% |
| | 50-59 | Count | 260 | 56 | 316 |
| | | % within Sex | 13.1% | 12.1% | 13.0% |
| | 60-69 | Count | 62 | 9 | 71 |
| | | % within Sex | 3.1% | 2.0% | 2.9% |
| | 70+ | Count | 10 | 3 | 13 |
| | | % within Sex | .5% | .7% | .5% |
| Total | | Count | 1978 | 461 | 2439 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 1057 | 145 | 1202 |
| | | % within Sex | 53.4% | 31.5% | 49.3% |
| | African American | Count | 492 | 246 | 738 |
| | | % within Sex | 24.9% | 53.4% | 30.3% |
| | Hispanic | Count | 413 | 67 | 480 |
| | | % within Sex | 20.9% | 14.5% | 19.7% |
| | Asian-Pacific Islander | Count | 6 | 3 | 9 |
| | | % within Sex | .3% | .7% | .4% |
| | Am Indian-Alaskan | Count | 7 | | 7 |
| | | % within Sex | .4% | | .3% |
| | Not Specified | Count | 3 | | 3 |
| | | % within Sex | .2% | | .1% |
| Total | | Count | 1978 | 461 | 2439 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 1111 | | 1111 |
| | | % within Sex | 56.2% | | 45.6% |
| | IDU | Count | 270 | 149 | 419 |
| | | % within Sex | 13.7% | 32.3% | 17.2% |
| | M-M & IDU | Count | 217 | | 217 |
| | | % within Sex | 11.0% | | 8.9% |
| | Hemophiliac | Count | 5 | | 5 |
| | | % within Sex | .3% | | .2% |
| | Heterosexual Contact | Count | 92 | 172 | 264 |
| | | % within Sex | 4.7% | 37.3% | 10.8% |
| | Transfusion | Count | 10 | 13 | 23 |
| | | % within Sex | .5% | 2.8% | .9% |
| | Not Classified | Count | 266 | 116 | 382 |
| | | % within Sex | 13.4% | 25.2% | 15.7% |
| | Ped Parent at Risk | Count | 6 | 9 | 15 |
| | | % within Sex | .3% | 2.0% | .6% |
| | Ped Other-Undet | Count | 1 | 2 | 3 |
| | | % within Sex | .1% | .4% | .1% |
| Total | | Count | 1978 | 461 | 2439 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|-------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | 2 | 1200 | 1202 |
| | | % within Adult-Ped | 12.5% | 49.5% | 49.3% |
| | African American | Count | 11 | 727 | 738 |
| | | % within Adult-Ped | 68.8% | 30.0% | 30.3% |
| | Hispanic | Count | 3 | 477 | 480 |
| | | % within Adult-Ped | 18.8% | 19.7% | 19.7% |
| | Asian-Pacific Islander | Count | | 9 | 9 |
| | | % within Adult-Ped | | .4% | .4% |
| | Am Indian-Alaskan | Count | | 7 | 7 |
| | | % within Adult-Ped | | .3% | .3% |
| | Not Specified | Count | | 3 | 3 |
| | | % within Adult-Ped | | .1% | .1% |
| Total | Count | 16 | 2423 | 2439 | |
| | % within Adult-Ped | 100.0% | 100.0% | 100.0% | |

a. PHR = PHR 7

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 6 | 1972 | 1978 |
| | | % within Adult-Ped | 37.5% | 81.4% | 81.1% |
| | Female | Count | 10 | 451 | 461 |
| | | % within Adult-Ped | 62.5% | 18.6% | 18.9% |
| Total | | Count | 16 | 2423 | 2439 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

PHR = PHR 7

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 11 | 10 | 21 |
| | | % within Sex | .4% | 1.3% | .6% |
| | 1 (12-23 mo) | Count | | 5 | 5 |
| | | % within Sex | | .7% | .1% |
| | 2-4 | Count | 7 | 2 | 9 |
| | | % within Sex | .2% | .3% | .2% |
| | 5-12 | Count | 2 | 4 | 6 |
| | | % within Sex | .1% | .5% | .2% |
| | 13-19 | Count | 31 | 45 | 76 |
| | | % within Sex | 1.0% | 5.9% | 2.0% |
| | 20-24 | Count | 189 | 94 | 283 |
| | | % within Sex | 6.4% | 12.3% | 7.6% |
| | 25-29 | Count | 465 | 128 | 593 |
| | | % within Sex | 15.7% | 16.8% | 15.9% |
| | 30-39 | Count | 1397 | 294 | 1691 |
| | | % within Sex | 47.1% | 38.6% | 45.3% |
| | 40-49 | Count | 685 | 127 | 812 |
| | | % within Sex | 23.1% | 16.7% | 21.8% |
| | 50-59 | Count | 148 | 42 | 190 |
| | | % within Sex | 5.0% | 5.5% | 5.1% |
| | 60-69 | Count | 30 | 10 | 40 |
| | | % within Sex | 1.0% | 1.3% | 1.1% |
| | 70+ | Count | 4 | 1 | 5 |
| | | % within Sex | .1% | .1% | .1% |
| Total | | Count | 2969 | 762 | 3731 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

| | | | Sex | | Total |
|-------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Current Age | 0 (0-11 mo) | Count | 1 | 2 | 3 |
| | | % within Sex | .0% | .3% | .1% |
| | 1 (12-23 mo) | Count | 1 | 1 | 2 |
| | | % within Sex | .0% | .1% | .1% |
| | 2-4 | Count | 1 | 2 | 3 |
| | | % within Sex | .0% | .3% | .1% |
| | 5-12 | Count | 13 | 12 | 25 |
| | | % within Sex | .4% | 1.6% | .7% |
| | 13-19 | Count | 10 | 15 | 25 |
| | | % within Sex | .3% | 2.0% | .7% |
| | 20-24 | Count | 74 | 50 | 124 |
| | | % within Sex | 2.5% | 6.6% | 3.3% |
| | 25-29 | Count | 182 | 88 | 270 |
| | | % within Sex | 6.1% | 11.5% | 7.2% |
| | 30-39 | Count | 1102 | 272 | 1374 |
| | | % within Sex | 37.1% | 35.7% | 36.8% |
| | 40-49 | Count | 1161 | 225 | 1386 |
| | | % within Sex | 39.1% | 29.5% | 37.1% |
| | 50-59 | Count | 338 | 75 | 413 |
| | | % within Sex | 11.4% | 9.8% | 11.1% |
| | 60-69 | Count | 74 | 17 | 91 |
| | | % within Sex | 2.5% | 2.2% | 2.4% |
| | 70+ | Count | 12 | 3 | 15 |
| | | % within Sex | .4% | .4% | .4% |
| Total | | Count | 2969 | 762 | 3731 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 1581 | 221 | 1802 |
| | | % within Sex | 53.3% | 29.0% | 48.3% |
| | African American | Count | 750 | 418 | 1168 |
| | | % within Sex | 25.3% | 54.9% | 31.3% |
| | Hispanic | Count | 603 | 119 | 722 |
| | | % within Sex | 20.3% | 15.6% | 19.4% |
| | Asian-Pacific Islander | Count | 10 | 4 | 14 |
| | | % within Sex | .3% | .5% | .4% |
| | Am Indian-Alaskan | Count | 12 | | 12 |
| | | % within Sex | .4% | | .3% |
| | Not Specified | Count | 13 | | 13 |
| | | % within Sex | .4% | | .3% |
| | Total | | 2969 | 762 | 3731 |
| | | | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 1676 | | 1676 |
| | | % within Sex | 56.4% | | 44.9% |
| | IDU | Count | 337 | 203 | 540 |
| | | % within Sex | 11.4% | 26.6% | 14.5% |
| | M-M & IDU | Count | 305 | | 305 |
| | | % within Sex | 10.3% | | 8.2% |
| | Hemophiliac | Count | 6 | 1 | 7 |
| | | % within Sex | .2% | .1% | .2% |
| | Heterosexual Contact | Count | 136 | 295 | 431 |
| | | % within Sex | 4.6% | 38.7% | 11.6% |
| | Transfusion | Count | 14 | 19 | 33 |
| | | % within Sex | .5% | 2.5% | .9% |
| | Not Classified | Count | 474 | 222 | 696 |
| | | % within Sex | 16.0% | 29.1% | 18.7% |
| | Ped Parent at Risk | Count | 17 | 18 | 35 |
| | | % within Sex | .6% | 2.4% | .9% |
| | Ped Other-Undet | Count | 4 | 4 | 8 |
| | | % within Sex | .1% | .5% | .2% |
| | Total | | 2969 | 762 | 3731 |
| | | | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | 11 | 1791 | 1802 |
| | | % within Adult-Ped | 26.8% | 48.5% | 48.3% |
| | African American | Count | 23 | 1145 | 1168 |
| | | % within Adult-Ped | 56.1% | 31.0% | 31.3% |
| | Hispanic | Count | 7 | 715 | 722 |
| | | % within Adult-Ped | 17.1% | 19.4% | 19.4% |
| | Asian-Pacific Islander | Count | | 14 | 14 |
| | | % within Adult-Ped | | .4% | .4% |
| | Am Indian-Alaskan | Count | | 12 | 12 |
| | | % within Adult-Ped | | .3% | .3% |
| | Not Specified | Count | | 13 | 13 |
| | | % within Adult-Ped | | .4% | .3% |
| | Total | Count | 41 | 3690 | 3731 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 20 | 2949 | 2969 |
| | | % within Adult-Ped | 48.8% | 79.9% | 79.6% |
| | Female | Count | 21 | 741 | 762 |
| | | % within Adult-Ped | 51.2% | 20.1% | 20.4% |
| Total | | Count | 41 | 3690 | 3731 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. PHR = PHR 7